
Colour collection
Artificial leather

OVERVIEW Colour collection Artifical leather

ARTIFICIAL LEATHER	Price category	Waterproof	Urine resistance	Anti-bacterial	Fire resistance	Martindale	Reach/ Oeko-tex100	Usage*	COMPOSITION
Aston	B	■	■	■	M2/Crib 5	1.000.000	■	🛋🛋🛋	PVC + PU / CO+PES
Bubble	C	■	■	■	EN 1021 / 1-2	200.000	■	🛋🛋🛋	100% PVC/ 100% PES
Creek	B	■	■		M2/Crib 5	> 300.000	■	🛋🛋🛋	100% PVC/backing CO+PES
Cuzco	B	■	■	■	M2	> 300.000	■	🛋🛋🛋	100% PVC/backing 100% recycled PES
Econic	B	■		■	EN 1021 / 1-2	> 300.000	■	🛋🛋	100% Bio PVC/backing 100% recycled PES
Gingko	C	■	■	■	M1/Crib 5	150.000	■	🛋🛋	85% PVC/15% CO
Globe	B	■	■	■	M2	> 300.000	■	🛋🛋🛋	100% PVC/backing PES
Greenskin	B	■	■	■	EN 1021 / 1-2	300.000	■	🛋🛋🛋	100% PVC/backing 100%PES
Greentex	B	■	■	■	EN 1021 / 1-2	300.000	■	🛋🛋🛋	100% PVC/backing 100%PES
Harlow / Harlow ECO	B	■	■	■	M2	800.000	■	🛋🛋🛋	100% PVC/backing 100% PES Eco: 45% Sustainable content - 27% Bio-based Plasticizer / 18% Recycled PET
Linetex	B	■	■	■	EN 1021 / 1-2	> 100.000	■	🛋🛋	100% PVC/backing 100% PES
Maglia	B	■	■	■	M2	> 100.000	■	🛋🛋	100% PVC-U/ backing 100% PES Hi-Loft
Mundial	A	■	■	■	M2/Crib 5	150.000	■	🛋🛋	88% PVC/12% CO
Puxx 1-2	C	■	■		Crib 5	300.000	■	🛋🛋🛋	100% PU/backing CO+PES
Segu / Pukka / Freckle	B	■	■	■	M2/Crib5	150.000	■	🛋🛋	100% PVC/ backing 100% CO
Silverguard	B	■	■	■	M2	> 300.000	■	🛋🛋🛋	100% PVC-U/ backing 100% PES Hi-Loft
Stamskin Top	C	■	■	■	M2/Crib5	> 120.000	■	🛋🛋	Meervoudig gelaagd/ backing Polyamide-Jersey
Urban	B	■	■	■	M1/Crib 5	150.000	■	🛋🛋	83% PVC/17% CO
Viper	B	■	■	■	M2	> 300.000	■	🛋🛋🛋	100% PVC/backing 100% PES
Viper Vintage	B	■	■	■	M2	> 300.000	■	🛋🛋🛋	100% PVC/backing 100% PES

*🛋 = domestic use / 🛋🛋 = project-based use / 🛋🛋🛋 = intensive project-based use

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ASTON



Aston LRV 52.9
507 Rich Ivory

Aston LRV 61.4
829 Parchment **(New)**

Aston LRV 76.9
813 Linen



Aston LRV 35.5
835 Hessian **(New)**



Aston LRV 44.9
327 Buttermilk **(New)**



Aston LRV 36.2
925 Putty **(New)**



Aston LRV 54.0
952 Platinum



Aston LRV 48.3
238 Citrus



Aston LRV 29.0
897 Hemp **(New)**



Aston LRV 37.5
314 Mustard



Aston LRV 26.4
300 Gold



Aston LRV 48.2
837 Stone



Aston LRV 28.3
905 Dove



Aston LRV 15.5
708 Truffle **(New)**

Aston LRV 57.8
805 Cream



Aston LRV 33.4
823 Chablis



Aston LRV 29.0
843 Chai **(New)**



Aston LRV 15.1
888 Coffee **(New)**



Aston LRV 17.0
824 Ochre **(New)**



Aston LRV 26.5
321 Wheat **(New)**



Aston LRV 9.4
703 Mink



Aston LRV 11.8
801 Tan



Aston LRV 15.3
806 Camel **(New)**



Aston LRV 15.6
815 Buff



Aston LRV 6.6
807 Mushroom



Aston LRV 3.8
814 Espresso

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ASTON



Aston LRV 31.3
929 French Grey **(New)**



Aston LRV 36.4
271 Celadon **(New)**



Aston LRV 52.7
506 Mist



Aston LRV 33.7
253 Cardamom



Aston LRV 46.0
197 Pigeon Grey **(New)**



Aston LRV 47.9
205 Sage Green



Aston LRV 30.6
243 Cactus **(New)**



Aston LRV 30.3
919 Zinc



Aston LRV 37.1
252 Willow **(New)**



Aston LRV 43.9
233 Pistachio




Aston LRV 42.7
958 Cloud **(New)**



Aston LRV 29.8
989 Fossil Grey **(New)**



Aston LRV 19.7
226 Lime



Aston LRV 23.9
858 Cobble **(New)**



Aston LRV 17.0
501 Smoke **(New)**



Aston LRV 12.3
204 Moss



Aston LRV 23.1
220 Light Green



Aston LRV 5.6
953 Gunmetal



Aston LRV 4.1
228 Bottle Green



Aston LRV 5.8
229 Forest **(New)**



Aston LRV 2.5
900 Black



Aston LRV 9.1
904 Pewter



Aston LRV 17.2
906 Ash



Aston LRV 18.9
911 Steel **(New)**



Aston LRV 9.4
954 Graphite

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ASTON



Aston
251 Eau de Nil
LRV 25.7



Aston
215 Elm
LRV 11.9



Aston
292 Racing Green **(New)**
LRV 6.7



Aston
203 Emerald
LRV 4.4



Aston
131 Azure
LRV 15.8



Aston
219 Seafoam
LRV 30.3



Aston
129 Ocean **(New)**
LRV 18.3



Aston
207 Evergreen **(New)**
LRV 9.8



Aston
151 Teal
LRV 8.8



Aston
110 Pacific
LRV 10.0



Aston
169 Frost **(New)**
LRV 24.1



Aston
108 Delph
LRV 13.7



Aston
122 Wedgewood Blue **(New)**
LRV 13.0



Aston
515 Flint **(New)**
LRV 42.3



Aston
196 Heritage Blue **(New)**
LRV 5.7



Aston
134 Sky
LRV 19.4



Aston
105 Indigo
LRV 3.5




Aston
100 Blue
LRV 6.7



Aston
102 Light Blue
LRV 18.8



Aston
117 Royal
LRV 7.3



Aston
116 Navy
LRV 2.8



Aston
133 Sapphire **(New)**
LRV 4.2



Aston
192 Ink
LRV 5.0



Aston
198 Hyacinth
LRV 17.5

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ASTON



Aston 817 Chestnut LRV 7.3



Aston 404 Henna **(New)** LRV 14.6



Aston 669 Seashell **(New)** LRV 45.3



Aston 408 Terracotta LRV 11.5



Aston 613 Pale Pink LRV 40.7



Aston 877 Oyster LRV 27.6



Aston 401 Amber LRV 22.2



Aston 411 Spice LRV 13.9



Aston 403 Rust **(New)** LRV 10.2



Aston 700 Brown LRV 6.4



Aston 400 Red LRV 14.8



Aston 446 Redcurrant **(New)** LRV 13.0



Aston 406 Claret **(New)** LRV 7.6



Aston 407 Burgundy LRV 5.4



Aston 618 Blush LRV 28.4



Aston 444 Cherry LRV 11.5



Aston 409 Magenta LRV 9.6



Aston 467 Bordeaux **(New)** LRV 7.0



Aston 619 Rosewood **(New)** LRV 15.5



Aston 414 Wine LRV 7.5



Aston 481 Damson **(New)** LRV 4.6



Aston 692 Heather **(New)** LRV 38.5



Aston 642 Thistle **(New)** LRV 21.7



Aston 213 Aubergine LRV 9.7




Aston 412 Purple LRV 4.6


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

ASTON





Aston

Suitable for
Wall Panelling

Composition
PVC/PU Blend, Basecloth: Cotton/Polyester

Width
Approx 140cm (55")

Weight
730g/m^2 (± 5%)
Thickness
1.1mm

End Use
Upholstery, Wall Panelling

Flammability Ratings
BS 7176: Medium Hazard
BS 5852: 2006 Ignition Source 5
BS EN1021-1/2

1IM UNI 9175 (Italy)
M2 (France)

NFPA 260 (USA)
CAL TB 117 (USA)

IMO FTP Code 2010 Part 8

EN 13501-1

Product Performance
Colour Fastness to Light
Grade 6+
Colour Fastness to Artificial Weathering
Grade 7
Colour Fastness to Chlorinated Water
Grade 4 - 5
Colour Fastness to Seawater
Grade 4 - 5
Hydrostatic Head
20M+
Burst Strength
1765 kPa

Abrasion


1Million+ Martindale Rubs

100,000 Wyzenbeek Rubs

Technical Features
Flame Retardant, Waterproof, ShieldPlus™ Antimicrobial, Superior Stain Resistance with Acryltron™ Protective Coating, Outdoor / Indoor

Environmental
REACH Compliant, Phthalate Free, Latex Free, Heavy Metals Free, Vegan Friendly

Care Instructions
- Wipe clean routinely with a microfibre cloth lightly dampened with cold water only and then dry with a clean absorbent cloth.
- Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining.
- If soiling has accumulated use a mild proprietary cleaner (non-alkaline). Take care to remove all soap residues and dry with a clean absorbent cloth.
- Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water then apply approved infection control protocol. Haz-Tabs, Chlor Clean, Acti-Chlor, Clinnell Universal Wipes and Panaz Shield Plus. As the concentration of bleach can vary greatly among proprietary brands we recommend these be avoided but in extreme circumstances, a 10% chlorine bleach solution may be used. Remove product residues and then dry with clean absorbent cloth.
- Do not fully immerse in water.
- Do not tumble dry.
- Do not dry clean.
- Do not steam clean - heat seals in stains.
- Do not apply solvents, alcohol or any other chemical cleaners.
- Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.



1. Antimicrobial ShieldPlus™ Protection permanently inhibits the broadest spectrum of microbes (even C diff spore) and prevents nasty odours.
2. Acryltron™ affording exceptional, improved resistance to cleaning chemicals.
3. Polyurethane coating - For durability and stain resistance.
4. PVC Core - For core strength and durability.
5. Substrate - High performance substrate providing a solid foundation.

ISO 9001:2015 BUREAU VERITAS Certification

BV 2690/25

ISO 14001 ISOQAR Cert No. 23503

Panaz®

Head Office: Panaz Ltd. Bentley Wood Way, Hapton, Burnley, Lancashire, BB11 5ST. England. Tel: +44 (0)1282 696969 email: sales@panaz.co.uk www.panaz.com
Clerkenwell Showroom, 66 Clerkenwell Rd, London EC1M 5PX. England. Tel: +44 (0)20 8875 1444
Panaz USA Inc., 230 South New York Avenue, Suite 101, Winter Park, FL 32714, USA. Tel: +1 919 747 8211 email: sales@panaz.com www.panaz.us

Continuity Although every effort is made to ensure that fabrics ordered match the colours in this pattern card, slight variations may occur from batch to batch.
© Panaz own the copyright of all designs shown in this pattern card, any infringement of which will be actioned by law.
Please note Panaz reserve the right to update product specification at their discretion.

PZ:04/25


Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

BUBBLE

DELIUS
TEXTILES 1722



Bubble

Item number 61000710, KMAT 61000710






Product description

Bubble faux leather is an easy-care, durable PVC faux leather that has a textile character thanks to its striking bouclé fabric look. This surface gives the material an exciting relief with a high-low structure that sets fascinating two-tone accents. Thanks to its durability, the faux leather is ideal for high-traffic areas such as care facilities, gastronomy, educational institutions and other public areas.Bubble has excellent light fastness and high abrasion resistance. In addition, the faux leather offers excellent protection against moisture, as it is optimally protected against liquids thanks to the high water column. It is also environmentally and health friendly as it is free from phthalates.

Technical Details



Fabric width	approx. 140 cm
Weight per m²	approx. 700 g/m²
Composition	100 % PVC
Flame retardancy	IMO 2010 FTP Code Part 8, DIN EN 1021-2, DIN EN 1021-1
Light fastness	note > 6
Seawater safety	4-5
DIN EN ISO 105-B02 Chlorine water safety	4-5

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

BUBBLE

DELIUS
TEXTILES 1722

Rubbing fastness **DIN EN ISO 105-X12**	dry: note 4-5, wet: note 4-5
Abrasion to Martindale **DIN EN ISO 12947-2** **DIN EN 14465-2006**	approx. 200000 rubs
Care labelling	
Minimum quantities special colours m	500
Additional information	
State	2026-02-24

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Creek

7053.01 - 7053.22



Product
Meubelbekleding

Omschrijving
Driekleurige onregelmatige linnenlook

Samenstelling
Geschuimde vinyl, katoen/polyester backing

Breedte
± 137-140 cm, ± 54-55 inches

Gewicht
± 800 gr/m², ± 36 oz/yd¹

Brandwerendheid
BS 5852 , Crib 5
Cal TB 117-2013, section 1 , Pass
DIN 4102 , B2
EN 1021/1-2 , Pass
IMO 2010 FTP part 8 , Pass
NF P 92/503-507 , M2
NFPA 260 , Class 1

Slijtvastheid
ASTM D3597/D4157 (#10 cotton duck) , 100.000 double rubs Wyzenbeek
ISO 12947-2 , > 300.000 rubs Martindale

Wrijfechtheid
AATCC 8
5 (scale 1–5) wet / 5 (scale 1–5) dry
ISO 105 X12
5 (scale 1–5) wet / 5 (scale 1–5) dry

Lichtechtheid
ISO 105 B02
7 (scale 1–8)

Treksterkte
ASTM D5034
113 lbs warp / 90 lbs weft

Keurmerken

USCG – EU MRA 0038

vinyl plus COMMITTED TO SUSTAINABLE DEVELOPMENT


Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Creek

7053.01 - 7053.22



The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.


momentsfurniture.com

Latest update 202610v1

CUZCO

CUZCO


INDOOR - OUTDOOR


4033 CU
MIDNIGHT


4029 CU
BLUEBERRY


4011 CU
POLAR


4038 CU
CARIBBEAN


4032 CU
MERCURY


4028 CU
ICEBERG


4027 CU
CEDAR


4025 CU
CACTUS


4013 CU
CONCRETE


4015 CU
FAWN


4017 CU
BARLEY


4026 CU
OLIVE


4014 CU
BONE



4019 CU
HONEY



4034 CU
DUNE


4039 CU
SUBMARINE



4018 CU
OAK



4020 CU
AMBER


4012 CU
SHELL


4024 CU
EARTH


4016 CU
TRUFFLE


4031 CU
STORM



4035 CU
CORAL


4010 CU
CANYON



4037 CU
HOT SPRING


4030 CU
SLATE BLUE


4021 CU
SABLE


4023 CU
CLARET


4022 CU
CHILLY


4036 CU
ORCHID

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

CUZCO

CUZCO INDOOR - OUTDOOR





FABRICS FOR LIFE

CHARACTERISTICS	INDOOR - OUTDOOR
Composition:	Topcoat: Vinyl Phthalate Free
Backing:	100% Recycled Polyester
Weight:	695 g/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 27,4 m
Abrasion Resistance:	>300.000 cycles (MARTINDALE)
Cold Crack:	-32 ºC
Light Fastness:	ASTM G153-00a, Cycle 1, 1000 hours, UV co-efficient ≥7 (Blue Wool Scale)
Flame Retardancy*:	EU EN 1021 Part 1 & 2 UK BS 5852 Source 0, 1 (Cigarette & Match) EU (MED) Marine Equipment Directive EU IMO MSC 88/26/ADD. 2 Part 8 3.1 & 3.2 (Replacing IMO A652) EU R118 DE DIN 4102 (B2) FR NF P 92-503 (M2) US ISO 3795 (FMVSS 302) US FAR 25/853 CH SN 198'898 & VKF AU AS.1530.3

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PHTHALATE FREE

EN 71-3:2019 Migration of Certain Elements (Category III)
99% reduction of bacteria on the surface of the coated fabric (ISO 22196)
Bacteriostatic Properties: Mildew Resistant

SUSTAINABILITY

Bromine-free, no Halogenated Flame Retardants (HFRs)
No Bisphenol A (BPA)
No Ozone Depleting Chemicals
No PBTs (Persistent Bio accumulative and Toxic Chemicals)
No POPs or PFAs
Contains bio-based renewable ingredients
Phthalate Free formulation
Skin Safe (ISO 10993-10)
REACH
RoHS

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
Here is a helpful list of products that you can use to disinfect:
Clorox® Hydrogen Peroxide Disinfecting Cleaner,
This kills bacteria and viruses in 30 seconds.
BLEACH-RITE® Disinfecting Spray with Bleach, Current Technologies
This is a hospital-grade pre-mixed cleaner with bleach diluted 1:10.
Dispatch® Hospital Cleaner Disinfectant Towels with Bleach
This kills most bacteria and viruses in 1 minute.
Bleach, Dilute the bleach up to a 1:10 ratio (10%). Liberally apply diluted bleach solution using a sponge. Rinse with cold water several times. Wipe dry. Be sure to follow the guidelines on the bleach label.
Isopropyl Alcohol with concentration of around 70% can kill corona-viruses. Leave the 70% Isopropyl Alcohol solution on the product for one minute.
Hydrogen Peroxide with a 3% concentration can be used to disinfect. Apply to the product and allow to sit for one minute.

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth; and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up. Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains. Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS


ANTIMICROBIAL · BLEACH CLEANABLE · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · PHTHALATE FREE · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ECONIC



5261
COCOA WHIP



5248
POTTERSCLAY



5257
MAPLE GLAZE



5249
FROST



5246
BLANCHED ALMOND



5247
BURLYWOOD



5250
LIGHT MOSS



5252
NOMAD



5263
OCEAN ABYSS



5254
VOYAGE



5253
JEAN JACKET



5256
SUNGOLD

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

ECONIC



5262
DARK CLOVE

5255
PAINTER'S WHITE



5251
PIMENTA



5258
STARDEW



5268
SUNDRIED TOMATO



5260
BROADWAY



5266
STRONG IRIS



5267
CORAL CLAY



5269
WILD FLOWER



5270
BUXTON BLUE



5264
ROCKY HILL



5259
GRANITE PEAK



5265
HALE NAVY

Latest update 202610v1


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ECONIC

INDOOR - OUTDOOR





FABRICS FOR LIFE

CHARACTERISTICS — INDOOR - OUTDOOR

Composition:	Topcoat: Bio-based Vinyl
Backing:	100% Recycled Polyester
Weight:	678 gr/m^2
Roll Width:	min. 137 cm
Roll Length:	+/- 27,40 m
Abrasion:	>300.000 cycles (MARTINDALE)
Cold Crack:	-32 °C
UV-Resistance:	≥ 7 ISO 105-B02 (Blue Wool Scale)
Flame retardancy*:	EU EN 1021 Part 1 & 2 EU BS5852 Source 0, 1 (Cigarette & Match) US CAL TB 117-2013 US California AB 2998 Compliant

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PHTHALATE FREE

EN 71-3:2019 Migration of Certain Elements (Category III)
Bacteriostatic Properties: Mildew Resistant

SUSTAINABILITY

Bromine-free, no Halogenated Flame Retardants (HFRs)
No Bisphenol A (BPA)
No Ozone Depleting Chemicals
No PBTs (Persistent Bio accumulative and Toxic Chemicals)
Contains bio-based renewable ingredients
Phthalate free formulation
Skin Safe (ISO 10993-10)
REACH
RoHs
75% sustainable product content

* Bio-attributed PVC resins; Originating from non-feedstock wood residue such as bark, leaves etc.
* Bio-based plasticisers; Derived from used vegetable cooking oils (soya, sunflower etc).
* 100% recycled polyester; Backing fabric made from post-consumer PET bottles waste.

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | orders: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
Here is a helpful list of products that you can use to disinfect:
Clorox® Hydrogen Peroxide Disinfecting Cleaner, this kills bacteria and viruses in 30 seconds.
BLEACH-RITE® Disinfecting Spray with Bleach, Current Technologies, this is a hospital-grade pre-mixed cleaner with bleach diluted 1:10.
Dispatch® Hospital Cleaner Disinfectant Towels with Bleach, this kills most bacteria and viruses in 1 minute.
Bleach, Dilute the bleach up to a 1:10 ratio (10%). Liberally apply diluted bleach solution using a sponge. Rinse with cold water several times. Wipe dry. Be sure to follow the guidelines on the bleach label.
Isopropyl Alcohol with concentration of around 70% can kill corona viruses. Leave the 70% Isopropyl Alcohol solution on the product for one minute.
Hydrogen Peroxide with a 3% concentration can be used to disinfect. Apply to the product and allow to sit for one minute.

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth, and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up. Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains. Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS

ANTIMICROBIAL · BLEACH CLEANABLE · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · PHTHALATE FREE · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

Latest update 202610v1


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

SIGNATURES
SIGNATURES
MARKENZEICHEN

GINKGO

MUST-HAVE
LES INCONTOURNABLES / *MUST-HAVE*



Petrole 013 32 060

REFRESHING FROSTS
LES GIVRÉS DÉSALTÉRANTS / *KÜHLER DURSTLÖSCHER*



Blanc 013 32 019



Glacier 013 32 059



Pierre 013 32 050



Aigue Marine 013 32 012



Lavande 013 32 009

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

GINKGO



Vert 013 32 006



Amande 013 32 020



Menthe 013 32 042



Mastic 013 32 013



Dune 013 32 023



Seigle 013 32 027

VEGETABLE PATCHES
LES POTAGERS / *GEMÜSEGARTEN*



Souris 013 32 004



Taupe 013 32 043

SOPHISTICATED CALM
LES CALMES SOPHISTIQUÉS / *RAFFINIERTE RUHE*



Maya 013 32 068



Bois de Rose 013 32 067




Celadon 013 32 066




Granny 013 32 052



Mirabelle 013 32 021





TANGY CITRUS
LES ACIDULÉS / *ZITRUSFRÜCHTE*

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

GINKGO

WILD BERRIES
LES BAIES SAUVAGES / *WILDBEEREN*


Nuit 013 32 011


Myrtille 013 32 045


Quetsche 013 32 007


Begonia 013 32 046


Lilas 013 32 008


Groseille 013 32 026


Morgon 013 32 016


Pivoine 013 32 025


Tomate 013 32 044

HAPPENING


Rose Shocking 013 32 064


Celeste 013 32 065


Imperial 013 32 063

CARAMEL TOFFEE
LES CARAMELS TOFFEE / *KARAMELL-TOFFEE*


Tomette 013 32 014


Capuccino 013 32 038


Châtaigne 013 32 003


Chocolat 013 32 001


Terre 013 32 048


Café 013 32 049


Citrouille 013 32 015


Anthracite 013 32 002

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

SIGNATURES
SIGNATURES
MARKENZEICHEN

GINKGO

MUST-HAVE
LES INCONTOURNABLES / *MUST-HAVE*

USE ▸ UPHOLSTERED SEATS
UTILISATION ▸ REVÊTEMENT DE SIÈGES
VERWENDUNG ▸ POLSTERMÖBEL

Composition Composition / *Materialzusammensetzung*	PVC 85 % Cotton 15 %
Weight Poids / *Gewicht*	830 g +/- 40 g/m²
Width Laize / *Breite*	138 / 140 cm
Roll length Longueur des pièces / *Rollenlänge*	≈ 30 ml
Thickness Épaisseur / *Materialstärke*	1,3 mm +/- 0,1 mm

Fire proof norm
Classement feu
Brandschutznorm
M1 (NFP 92503)
AM 18 (NFD 60-013)
BS 5852 crib 5
B2 (DIN 4102)
EN 1021.1-2
Cs3d0 (EN 13501-1)
IMO A652
CATB 117 E
CATB 133
NY/NJ-Port Authority
UFAC Fabric class 1
FAR 25853 App F Part 1

Abrasion resistance (ISO 5470-2)
Abrasion Martindale
Scheuertouren
150 000 cycles (12 KPa)

Colour fastness to artificial light
Tenue à la lumière
Lichtechtheit
≥ 6

Phtalates free
Sans Phtalates
Phtalate frei

Technical data sheet is available upon request
Fiche technique disponible sur simple demande
Datenblatt verfügbar auf Anfrage

Efficacy against bacteria (MRSA).
Efficacité contre les bactéries (MRSA).
Wirksamkeit gegen Bakterien (MRSA).
JIS Z 2801:2000 / ISO 22196

Wheel Mark certification for all products used for seats covering in cruise ships and ferries.
Certification Barre à Roue pour les produits destinés au revêtement de sièges dans les navires de transport de personnes.
IMO Zertifikat für alle Produkte für den Einsatz von Sitzpolstern auf Fähren und Kreuzfahrtschiffen.

Product certified CTB Components by the FCBA technological institute. Mechanical tests, durability, reaction to fire and resistance to food, household, pharmaceutical products, according to NF Office Excellence Certified, NF furniture, professional NF furniture.
Produit certifié CTB Composants par l'institut technologique FCBA. Essais de mécanique, durabilité, réaction au feu et tenue aux produits alimentaires, ménagers, pharmaceutiques, conformément aux référentiels NF Office Excellence Certifiée, NF mobilier professionnel, NF ameublement.
Die Qualität wurde vom französischen Prüf- und Technologieinstitut FCBA gemäß den CTB Komponenten zertifiziert. Entsprechend den Standards für den Einsatz in Büros (NF Office Excellence), Wohneinrichtungen (NF Furniture) und Objekteinrichtungen (Professional NF Furniture) wurden mechanische Tests, Tests auf Haltbarkeit, Brennverhalten und Beständigkeit gegenüber Lebensmittel, Haushaltsprodukten und Pharmaprodukten durchgeführt.

Clean regularly with a pH neutral soap and a soft brush. Always rinse with clear water. Do not use strong detergents, solvent cleaners, polish, wax, patent chemicals or other products not recommended by Cotting. Some stains like ball pen, coffee, wine, eosin and also jeans, should be cleaned immediately to avoid any permanent absorption into the vinyl. Be careful : we cannot be held responsible for transfer problems generated by dyes of poor quality. Cotting waives all responsibility for problems arisen out of ignoring the cleaning instructions.
Pour un entretien efficace, nettoyer régulièrement avec un savon au pH neutre et une brosse douce. Dans tous les cas rincer à l'eau claire. Tous détergents, solvants, détachants du commerce ne figurant pas dans la NF collectivité ainsi que tous les produits non conseillés par nos soins sont à proscrire. Nettoyer immédiatement les tâches telles que le stylo, café, vin, éosine ou encore jeans afin d'éviter une migration définitive dans la masse du tissu enduit. Attention: Nous ne pouvons être tenus responsables des problèmes de migrations liés à une teinture de mauvaise qualité. Cotting dégagera toute responsabilité quant aux problèmes encourus liés au non respect des consignes d'entretien.
Regelmässige Reinigung mit lauwarmen Wasser, pH neutraler Seife und einer weichen Bürste. Verwenden Sie keine starken, abrasiven oder lösungsmittelhaltige Reinigungsmittel, Polituren, Wachse, chemische Reiniger oder andere, nicht von Cotting empfohlene Produkte. Flecken insbesondere von Kugelschreibern, Kaffee, Wein, Blut oder Jeansstoff sollten sofort gereinigt werden, da sie später unter Umständen nicht mehr rückstandslos entfernt werden könnten. Warnung: Cotting übernimmt keine Haftung dafür, dass Verfärbungen des Kunstleders durch nicht ausreichend farbbeständige Textilien verursacht wurden. Cotting übernimmt keine Haftung für Probleme, die durch die Nichtbeachtung der Pflegehinweise entstanden sind.

Griffine
182 Route de Paris
95420 Nucourt - France
Tel. : +33 (0)1 30 27 28 00
Fax : +33 (0)1 34 67 49 89
Email : griffine@griffine.com
www.cotting-group.com

© Juillet 2023


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

GLOBE

GLOBE

INDOOR - OUTDOOR



2424 SHETLAND
2399 HEDGE
2454 CONCRETE
2398 IGUANA
2427 ORCHARD
2458 BROOK
2429 WOODBINE
2432 APPLE
2394 PERSSIAN GREEN
2433 LAGOON
2380 TUSK
2381 PUTTY
2392 HEMP
2383 AUTUMN
2423 PETROL
2431 SHELL
2456 PALE SMOKE
2384 PECAN
2459 TERRAIN
2382 LANTERN
2430 SASSY
2378 SUGAR
2379 QUICKSILVER
2455 PATH
2389 NUBIAN
2386 SIZZLE
2385 CLIFF
2393 IRON
2421 CARBON
2460 OCTOPUS
2457 PENNY
2388 CASHEW
2390 POOL
2397 EBONY
2391 BLUE BIRD
2395 BAYOU
2426 ADMIRAL
2425 CELESTE
2434 MAUVE
2396 INDIGO


Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

GLOBE

GLOBE INDOOR - OUTDOOR





FABRICS FOR LIFE

CHARACTERISTICS INDOOR - OUTDOOR

Composition:	Topcoat: Vinyl
Backing:	100% Recycled Polyester
Weight:	695 gr/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 27,4 m
Abrasion:	>300.000 cycles (MARTINDALE)
Cold Crack:	-32 ºC
UV-Resistance:	ASTM G153-00a, Cycle 1, 1000 hours, UV co-efficient ≥7 (Blue Wool Scale)
Flame retardancy*:	EU EN 1021 Part 1 & 2 EU BS 5852 Source 0, 1 (Cigarette & Match) EU (MED) Marine Equipment Directive EU IMO MSC 88/26/ADD. 2 Part 8 3.1 & 3.2 (Replacing IMO A652) EU R118 DE DIN 4102 (B2) IT UNI ISO 3795 (FMVSS 302) FR NF P 92-503 (M2) US FAR 25/853 CH SN 198'898 & VKF AU AS.1530.3

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PHTHALATE FREE

EN 71-3:2019 Migration of Certain Elements (Category III)
99% reduction of bacteria on the surface of the coated fabric (ISO 22196)
Bacteriostatic Properties: Mildew Resistant

SUSTAINABILITY

Bromine-free, no Halogenated Flame Retardants (HFRs)
No Bisphenol A (BPA)
No Ozone Depleting Chemicals
No PBTs (Persistent Bio accumulative and Toxic Chemicals)
Contains bio-based renewable ingredients
Phthalate free formulation
Skin Safe (ISO 10993-10)
REACH
RoHS

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
Here is a helpful list of products that you can use to disinfect:
Clorox® Hydrogen Peroxide Disinfecting Cleaner,
This kills bacteria and viruses in 30 seconds.
BLEACH-RITE® Disinfecting Spray with Bleach, Current Technologies
This is a hospital-grade pre-mixed cleaner with bleach diluted 1:10.
Dispatch® Hospital Cleaner Disinfectant Towels with Bleach
This kills most bacteria and viruses in 1 minute.
Bleach, Dilute the bleach up to a 1:10 ratio (10%). Liberally apply diluted bleach solution using a sponge. Rinse with cold water several times. Wipe dry. Be sure to follow the guidelines on the bleach label.
Isopropyl Alcohol with concentration of around 70% can kill corona-viruses. Leave the 70% Isopropyl Alcohol solution on the product for one minute.
Hydrogen Peroxide with a 3% concentration can be used to disinfect. Apply to the product and allow to sit for one minute.

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth; and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up. Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains. Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS

ANTIMICROBIAL | BLEACH CLEANABLE | FLAME RETARDANT | STAIN RESISTANT | WATERPROOF | PHTHALATE FREE | REACH COMPLIANT | INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.


momentsfurniture.com

Latest update 202610v1


Greenskin




31905
STEEL



31910
FOG



31911
CLAY




31913
BRIMSTONE

31917
EGGSHELL

31922
BONE


31907
BEACH




31915
COOKIEDOUGH




31912
MAPLE



31921
WILLOW




31909
FROST



31903
GRAVEL




31906
OBSIDIAN




31918
SQUID

31901
ARCTIC




31904
SPRING



31914
IVY

31902
SKY



31905
STEEL



31908
SPACE BLUE




31919
DEEP SEA

Latest update 202610v1


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com


GREENSKIN




31926
FLINT




31928
MALIBU



31932
DOLPHIN




31933
APPLE




31934
SAGE




31935
MARLIN




31936
LAGUNA




31938
ELEPHANT




31939
STONE




31940
BLUSH




31941
PUMPKIN




31942
SHELLFLOWER




31943
METAL




31945
ICE




31946
SMOKE




31920
DENIM




31923
KOBALT



31924
GRAPE



31925
RED PEPPER



31916
CARDINAL

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

Greenskin



Composition:	Topcoat:	100 % PVC
	Backing:	100 % PES
Colour Range:	25	
Weight:	661 gr/m² +/- 68	
Thickness	1.10 mm +/- 0.10	
Roll width:	137 cm	
Roll length:	+/- 27,40 lm	

Technical aspects

Abrasion:	EN ISO 5470-2	300 000 cycles Martindale
Burning Behaviour:	EN1021	1 – 2
	BS5852	0 – 1
	ISO 3795	FMVSS-302
Extra:	**Green & sustainable product**	
	Certified Oekotex 100	
	Resistant to blood	
	Resistant to urine	
	Resistant to oil	
	100% free of phthalate	
	100% antibacterial	
	100% vegan leather	

Cleaning instructions:

Clean with a lye of warm water and mild natural soap, using a micro-fiber cloth.

Following uses of detergents allowed, provided additional cleaning with water afterwards:

Isopropyl Alcohol	(70% concentration)
Peroxide	(3% concentration)
Bleach	(9:1 ratio)

DELETEX
Leather & Textiles

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

GREENTEX

Greentex



32240
HARMONY



32240
HARMONY



32210
POLAR



32230
WOLF



32490
CONCRETE




Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

GREENTEX


Greentex




32273
SHADOW



32220
ESSENCE




32488
SALMON



32486
RUST




32484
HAZEL



32485
DRIFTWOOD




32271
FIRESTONE




32233
BLOSSOM




32272
MOONSTONE



32496
ELECTRIC SKY




32474
SAPPHIRE



32270
WAVE



32487
LEAF



32150
EMERALD




The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

GREENTEX

Greentex



Composition:	Topcoat:	100 % PVC
	Backing:	100 % PES
Colour Range:	18	
Weight:	675 gr/m² +/- 135	
Thickness	1.10 mm +/- 0.10	
Roll width:	137 cm	
Roll length:	+/- 27,40 lm	

Technical aspects

Abrasion:	EN ISO 5470-2	300 000 cycles Martindale
Burning Behaviour:	EN1021	1 – 2
	BS5852	0 – 1
	ISO 3795	FMVSS-302
Extra:	**Green & sustainable product**	
	Certified Oekotex 100	
	Resistant to blood	
	Resistant to urine	
	100% free of phthalate	
	100% antibacterial	
	100% vegan leather	
	Outdoor	

Cleaning instructions:

Clean with a lye of warm water and mild natural soap, using a micro-fiber cloth.

Following uses of detergents allowed, provided additional cleaning with water afterwards:

Isopropyl Alcohol	(70% concentration)
Peroxide	(3% concentration)
Bleach	(9:1 ratio)

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

HARLOW

HARLOW

INDOOR - OUTDOOR




The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

HARLOW

HARLOW INDOOR - OUTDOOR


FABRICS FOR LIFE

CHARACTERISTICS	INDOOR - OUTDOOR
Composition:	100% PVC Phthalate Free
Composition ECO colors:	45% sustainable content: BIO-based Plasticizer: 27%, Recycled PET: 18%
Backing:	100% Polyester
Weight:	730 g/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 30 m
Abrasion Resistance:	>800.000 cycles (MARTINDALE)
Resistance to oils:	Bending Test DIN 53 359 No change
Blood Resistance Test:	TITV Greiz Passed
Urine Resistance Test:	DIN EN ISO 32100 Passed; No changes, note 5
Cold Crack:	-29 °C 4.05J impact FLTM BN 128 - 01
Heat Ageing: (85 °C, 7 days)	LP - 463LB - 13 - 01 Rating 4 ISO Grey Scale
Light Fastness:	>6 ISO EN 105-B02 (Blue Wool Scale) 4-5 ISO EN 105-B04 (Grey Scale)
Colour Fastness to	
Sea Water:	DIN EN ISO 105 - E02 4 - 5 minimum
Chlorinated Water:	DIN EN ISO 105 - E03 4 minimum
Artificial Saliva:	DIN 53 160 - 1 Passed, Note 5
Artificial Sweat:	DIN 53 160 - 2 Passed, Note 5
Perspiration:	DIN EN ISO 105 E - 04 Passed, Note 4 - 5
Crocking:	DIN EN ISO 105 - X 12 Dry-Minimum 5.0 AATCC Wet-Minimum 5.0 AATCC
Flame Retardancy*:	EU EN 1021 Part 1 & 2 EU IMO FTP 2010 Code MSC.307 (88) Annex 1 Part 8 EU (MED) Marine Equipment Directive DE DIN 4102 (B2) FR NF P 92-503 (M2) IT UNI 9175 Classe 1.IM AT ÖNORM B 3825, Gruppe 1 AT ÖNORM A 3800 Teil 1 US SAE J369/MVSS 302 US FAR 25.853 (a) Appendix F, Part I, (a), 1, (ii) US FED-STD-191A Test 5903

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PHTHALATE FREE

Sanitized antimicrobial hygiene safety

SUSTAINABILITY

OEKO-TEX® Standard 100
REACH / RoHS

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Cleaning instructions
Brush off dirt before it becomes embedded in the vinyl and wipe up spills or clean quickly after a stain appears. The quicker you clean spills and stains, the easier they can be removed.

1. Use a mixture of mild-soap (pH neutral) and water solution (use 1 part soft soap and 10 parts water) to clean vinyl with a white soft cloth or sponge.
2. Use clean water with a soft cloth to remove excess soap.
3. Immediately dry vinyl with a white, clean, soft cloth. No soap should remain on the vinyl surface.
4. Light colors, such as white, require more frequent cleaning.
Note: If dirt is embedded, you can rub vinyl moderately with a soft brush and soapy solution, then go to step 2 and 3.

Cleaning methods to remove tougher stains
1. The key to keeping vinyl upholstery clean is removing grease, dirt, and residues as quickly as possible after the spill occurs.
2. Do not use abrasive or solvent cleaners, especially cleaners containing concentrated bleach, petroleum distillates or concentrated detergents.
3. For dried stains, vinyl can be cleaned with a soft detergent and water mixture (use 1 part soft powder detergent and 5 parts water). Apply the solution to the stain and wait a minute or two to allow the detergent to act. Then lightly rub the area and rinse thoroughly with clean water. Be sure to completely remove all soap residues. Dry vinyl with a clean, soft cloth.
4. Liquid spills (Coffee, Tea, Liquor, Wine, Sun-tan Lotion, Soft Drinks, etc.) If cleaned before the liquid dries, the spill can easily be removed using a paper towel to absorb the liquid. Clean the area with a moist and clean cloth, then blot dry. In case that the spill is already dried, go to step 3.
5. Thick, moist spills (Ketchup, Mustard, etc.): Lift as much of the spill as possible with a damp cloth, rotating the cloth as you wipe without pressing it into the vinyl surface. Repeat this process as needed, and then blot the vinyl dry. If residue still remains, go to step 3. Flush the area with water and apply a clean cloth, then blot dry.
6. Blood, Urine Stains, Bird Excreta: Sponge with soapy water containing a small amount of household ammonia (1 part pH neutral soap, 5 parts household ammonia, 5 parts water). Clean the excess soap by gentle rubbing with a moist cloth. Any remaining stain should be washed with diluted bleach (10% bleach, 90% water). Dry with a clean cloth.
7. Lipstick, Grease, Oil, Eye shadow, Shoe Polish: Apply a small quantity of household cleaner (like Fantastik® or Formula 409®) mixed with water (1 part cleaner, 1 part water) by means of cloth with gentle rubbing. Use a moist cloth until no cleaner residues remain. Dry with a clean cloth.
8. Ballpoint Ink, Permanent Marker: Ink spots will stain vinyl permanently. Immediate wiping with a 1:1 mixture of Isopropyl alcohol and water will remove much of the stain. Follow up with clean water rinses and towel dry.

VYVA FABRICS

ANTIMICROBIAL · OEKO-TEX® STANDARD 100 · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · PHTHALATE FREE · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.


momentsfurniture.com

Latest update 202610v1


LINETEX




LNT-1651 *
FRAPPE




LNT-3000 *
BOND




LNT-3460 *
BAMBOO



LNT-5194
BUTTER




LNT-7893
ROCK



LNT- 2888
DUST



LNT- 6528 *
NUT




LNT-8288
CHESTNUT




LNT-6027 *
TOAST




LNT-7686
CACAO




LNT-1323
TRUFFLE




LNT-9503
MINT



LNT-1941
EMERALD



LNT-4437 *
MATCHA



LNT-2154 *
TEJA

* Enkel deze kleuren beschikbaar voor perfecta collectie


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.


momentsfurniture.com


Latest update 202610v1

LINETEX


LNT-4571
WAVE


LNT-6480
SPHERE


NEW
LNT-4233
ICELAND



NEW
LNT-4031 *
ATITLAN



LNT-8215
SHALLOW


NEW
LNT-4030
MILOS


LNT-9502
CHALK


LNT-4768
GLACIER


NEW
LNT-5024 *
BASSALT


NEW
LNT-2403
MIST


LNT-8577
IRON


LNT-1340
CLIFF


LNT-4210 *
SHALE

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

* Enkel deze kleuren beschikbaar voor perfecta collectie

Latest update 202610v1

DELETEX
Leather & Textiles

LINETEX

Samenstelling:	Bovenlaag:	100 % PVC
	Drager:	100 % PES
Kleurenaanbod:	16	
Gewicht:	665 gr/m² +/- 65	
Dikte:	1.10 mm +/- 0.16	
Rolbreedte:	137 cm	
Rollengte:	+/- 30 lm	

Beschrijving:

Linetex is een kunstleder voor vele doeleinden: horeca, zorgsector, buitengebruik, … Het heeft de look van textiel en de voordelen van kunstleder. Wat het ook speciaal maakt is dat een speciale finish ervoor zorgt dat de Linetex veel koeler blijft in de zon dan andere materialen.

Technische aspecten:

Lichtechtheid:	DIN 54004	Min 7/8 blue scale	
Wrijfechtheid:	EN ISO 12947	> 100 000 cycles (Martindale)	
Hechting van de finish:	EN ISO 2411	Ketting:	Min 9.1 N
		Inslag:	Min 20 N
Scheursterkte:	EN ISO 4674-1	Ketting:	Min 25 N
		Inslag:	Min 38 N
Stiksterkte:	DIN 54301	Ketting:	Min 46 N
		Inslag:	Min 56 N
Rekvermogen:	EN ISO 1421	Ketting:	+/- 109 %
		Inslag:	+/- 62 %
Treksterkte:	EN ISO 1421	Ketting:	Min 244 N
		Inslag:	Min 455 N

Deletex nv – Brabantstraat 91 – B-8790 Waregem

T. +32 (0) 56 42 23 03 – F. +32 (0) 56 42 44 32 – commercial@deletex.com

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

LINETEX

DELETEX
Leather & Textiles

Brandvertragend:	EN1021	1 – 2
	FMVSS 302	
	IMO	Res. MSC.307 (88)
Extra:	Antimicrobieel	Bescherming tegen schimmel
		Bescherming tegen bacteriën
		Bescherming tegen mycotica
	Bestand tegen schimmel	
	Antistatisch	
	Resistent tegen bloed	
	Resistent tegen urine	
	PERMABLOK®plus+ protective finish	
	PERMACOOL®	
	ECOSENSE	
	REACH	
	RoHS	
	Carbon neutraal	
	Outdoor	
	Ftalaat vrij	
Reinigingsinstructies:	Reinigen met lauw water en een milde natuurlijke zeep met behulp van een mircovezeldoek. Gebruik geen producten die alcohol, oplosmiddelen, chloor, chemische reinigingsmiddelen of detergenten bevatten.	


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

MAGLIA

MAGLIA

INDOOR - OUTDOOR


16443 MAGLIA GREENLAND



16017 MAGLIA ARCTIC


16018 MAGLIA OAK


16019 MAGLIA GRIZZLY


2378 GLOBE SUGAR


15001 MAGLIA UYUNI


2380 GLOBE TUSK


2459 GLOBE TERRAIN



12000 MAGLIA PRIMROSE


14537 MAGLIA TRUFFLE



2430 GLOBE SASSY



2398 GLOBE IGUANA



2399 GLOBE HEDGE


2429 GLOBE WOODBINE


2389 GLOBE NUBIAN


16029 MAGLIA HIVE



16020 MAGLIA MAUI



10406 MAGLIA SAGE



2379 GLOBE QUICKSILVER



2457 GLOBE PENNY


2434 GLOBE MAUVE


14203 MAGLIA BLOSSUM


2392 GLOBE HEMP


16025 MAGLIA GINGER


16026 MAGLIA MAPLE



12003 MAGLIA SKY


2388 GLOBE CASHEW



2383 GLOBE AUTUMN



14227 MAGLIA MARS


2390 GLOBE POOL


16031 MAGLIA ASH


14008 MAGLIA ALASKA


2397 GLOBE EBONY


16016 MAGLIA THUNDER

Latest update 202610v1


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

MAGLIA

MAGLIA


INDOOR - OUTDOOR



16030 MAGLIA
ACAI



2460 GLOBE
OCTOPUS



10031 MAGLIA
ARMORY



2424 GLOBE
SHETLAND



11702 MAGLIA
DOVETAIL


18022 MAGLIA
SAFARI



18056 MAGLIA
URBAN



2423 GLOBE
PETROL



13616 MAGLIA
EARTH


16022 MAGLIA
SVALBARD



2425 GLOBE
CELESTE


16027 MAGLIA
TAHOE



2426 GLOBE
ADMIRAL



16023 MAGLIA
KYANITE



16028 MAGLIA
MINUIT



2385 GLOBE
CLIFF



2393 GLOBE
IRON



15559 MAGLIA
INDIGO



16024 MAGLIA
MONOCHROME



17026 MAGLIA
GRANITE



2427 GLOBE
ORCHARD


16021 MAGLIA
FJORD


12420 MAGLIA
SERENITY


16032 MAGLIA
BLACKCAVE


2421 GLOBE
CARBON


15450 MAGLIA
MIDNIGHT


2458 GLOBE
BROOK


10003 MAGLIA
BREEZE

Latest update 202610v1


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

MAGLIA

MAGLIA INDOOR - OUTDOOR





FABRICS FOR LIFE

CHARACTERISTICS	INDOOR - OUTDOOR
Composition:	100% Vinyl Urethane
Backing:	100% Polyester Hi-Loft²™
Weight:	680 g/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 30 m
Abrasion Resistance:	>100.000 cycles (MARTINDALE)
Cold Crack:	-29 ºC
Light Fastness:	ISO 105 B02:≥ 7/8 (Blue Wool Scale) ISO 105 B04:≥ 4/5 (Grey Scale)
Flame Retardancy*:	EU EN 1021 Part 1 & 2 EU IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 EU ECE R 118.03 (R118.02 Anx. 6, 7 & 8) EU (MED) Marine Equipment Directive EU EN 71-2:2006+A1:2007 Safety of Toys - part 2 DE DIN 4102 (B2) IT UNI 9175 / UNI 9175/FA1 Classe 1.IM ES UNE 23.727-90 1R/M.2 FR NF P 92-503 (M2) AT ÖNORM B 3825, Gruppe 1 AT ÖNORM A 3800 Teil 1 US FMVSS 302 US CAL TB 117-2013, Sec. E US FAR 25/853 US NFPA 260 - Class 1

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PERMABLOK³® ADVANCED VINYL PROTECTION

Antibacterial Protection, Anti-stain Finish, Mildew resistant backing and face, Sulfide Stain Resistant, Anti-static Finish, EN 71-3 Safety of Toys (Migration of certain elements)

Virucidal Activity: ISO 18184:2019:[1]
Coated Fabrics treated with PERMABLOK³® are proven to reduce the presence of Corona-virus** by more than 90% within one hour of contact.

ISO 21702:2019:[2]
All the Coated fabrics treated with PERMABLOK³® are capable of reducing the Coronavirus** activity by 99,9% within 24 hours of exposure on the surface.

Bacteriostatic Properties: ISO 22196:2011.Value of antibacterial*** activity R>2

SUSTAINABILITY

Reach / RoHS / Carbon Neutral / EcoSense / Greenguard / ISO 14001 / ISO 45001 / ISO 50001 / Indoor Air Quality Certified / Phthalate Free

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
The following information refers to the performance of PERMABLOK3® products in specifics tests, conducted under laboratory conditions. Results may vary under actual conditions:

• Asepticare TB + II • Antifect (in 0.5 % dilution) • Caviwipes XL Packed • Cleanisept Wipes • Clorox Healthcare Bleach • Germicidal Wipes • Coverage Plus Germicidal Wipes • Desomed rapid • FD 366 • Hydrogen Peroxide Cleaner Disinfectant Wipes • Instrunet Anionsurf • Lysol Foaming Disinfectant Cleaner • Microzid • Oxivir TB Wipes • Oxycide Diluted –3oz/gl in water • PDI Sani-cloth bleach wipes • Sanicloth AF 3 • Sodium Hypochlorite. Disinfectant. Bletach cleaner. Dilution: 1:10 mix of bleach and water. • Surfanios Premium (in 0,25% dilution) • Surfa'Safe Premium (in 0,25% dilution) • Super Sani-cloth • Virex II 256 (1:256 Dilution) • Virox 5 Rtu • Wet wipe • Wex Cide 128 (1:128 dilution)

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth; and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS

ANTIMICROBIAL · ANTI-STATIC · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · SULFIDE RESISTANT · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523


The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

ENTRY LEVEL
ENTRÉE DE GAMME
EINSTIEGSSORTIMENT

MUNDIAL

THE BASICS
LES BASIQUES / *BASISVERSIONEN*



Canard 011 73 046

WATER
L'EAU / *WASSER*




Light Grey 011 73 045



Neige 011 73 015



Macadam 011 73 007



Brume 011 73 006



Saphir 011 73 005



Myosotis 011 73 023

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

MUNDIAL

EARTH
LA TERRE / *ERDE*



Sable 011 73 008



Pepper 011 73 044



Olive 011 73 047




Brown 011 73 043

FIRE
LE FEU / *FEUER*



Poterie 011 73 034



Grenat 011 73 002



Cerise 011 73 009



Charbon 011 73 001

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

ENTRY LEVEL
ENTRÉE DE GAMME
EINSTIEGSSORTIMENT

MUNDIAL

THE BASICS
LES BASIQUES / *BASISVERSIONEN*

USE ▸ UPHOLSTERED SEATS
UTILISATION ▸ REVÊTEMENT DE SIÈGES
VERWENDUNG ▸ POLSTERMÖBEL

Composition Composition / *Materialzusammensetzung*	**PVC 88 %** **Cotton PES 12 %**
Weight Poids / *Gewicht*	**750 g +/- 40 g/m²**
Width Laize / *Breite*	**140 / 142 cm**
Roll length Longueur des pièces / *Rollenlänge*	**≈ 30 ml**
Thickness Épaisseur / *Materialstärke*	**1,2 mm +/- 0,1 mm**

Fire proof norm
Classement feu
Brandschutznorm
M2 (NFP 92503)
BS 5852 crib 5
B2 (DIN 4102)
EN 1021.1-2
IMO A652

Abrasion resistance (ISO 5470-2)
Abrasion Martindale
Scheuertouren
150 000 cycles (12 KPa)

Colour fastness to artificial light
Tenue à la lumière
Lichtechtheit
≥ 6

Technical data sheet is available upon request
Fiche technique disponible sur simple demande
Datenblatt verfügbar auf Anfrage

Efficacy against bacteria (MRSA).
Efficacité contre les bactéries (MRSA).
Wirksamkeit gegen Bakterien (MRSA).

BV 0062 Wheel Mark certification for all products used for seats covering in cruise ships and ferries.
Barre à Roue BV 0062 pour les produits destinés au revêtement de sièges dans les navires de transport de personnes.
IMO Zertifikat für alle Produkte für den Einsatz von Sitzpolstern auf Fähren und Kreuzfahrtschiffen.

Clean regularly with a pH neutral soap and a soft brush. Always rinse with clear water. Do not use strong detergents, solvent cleaners, polish, wax, patent chemicals or other products not recommended by Cotting. Some stains like ball pen, coffee, wine, eosin and also jeans, should be cleaned immediately to avoid any permanent absorption into the vinyl. Be careful : we cannot be held responsible for transfer problems generated by dyes of poor quality. Cotting waives all responsibility for problems arisen out of ignoring the cleaning instructions.

Pour un entretien efficace, nettoyer régulièrement avec un savon au pH neutre et une brosse douce. Dans tous les cas rincer à l'eau claire. Tous détergents, solvants, détachants du commerce ne figurant pas dans la NF collectivité ainsi que tous les produits non conseillés par nos soins sont à proscrire. Nettoyer immédiatement les tâches telles que le stylo, café, vin, éosine ou encore jeans afin d'éviter une migration définitive dans la masse du tissu enduit. Attention: Nous ne pouvons être tenus responsables des problèmes de migrations liés à une teinture de mauvaise qualité. Cotting dégagera toute responsabilité quant aux problèmes encourus liés au non respect des consignes d'entretien.

Regelmässige Reinigung mit lauwarmen Wasser, pH neutraler Seife und einer weichen Bürste. Verwenden Sie keine starken, abrasiven oder lösungsmittelhaltige Reinigungsmittel, Polituren, Wachse, chemische Reiniger oder andere, nicht von Cotting empfohlene Produkte. Flecken insbesondere von Kugelschreibern, Kaffee, Wein, Blut oder Jeansstoff sollten sofort gereinigt werden, da sie später unter Umständen nicht mehr rückstandslos entfernt werden könnten. Warnung: Cotting übernimmt keine Haftung dafür, dass Verfärbungen des Kunstleders durch nicht ausreichend farbbeständige Textilien verursacht wurden. Cotting übernimmt keine Haftung für Probleme, die durch die Nichtbeachtung der Pflegehinweise entstanden sind.

Griffine
182 Route de Paris
95420 Nucourt - France
Tel. : +33 (0)1 30 27 28 00
Fax : +33 (0)1 34 67 49 89
Email : griffine@griffine.com
www.cotting-group.com

Plastibert
Molenstraat 207
8710 Wielsbeke - Belgium
Tel. : +32 (0)56 66 52 75
Fax : +32 (0)56 66 41 30
Email : info@plastibert.be
www.plastibert.be

© December 2017

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

PUXX 1



Oniro textiles Puxx nr.1 Edition 4-2020

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 1



The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 1




The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 1



Omio textile PUxx nr.1 Edition 4.2020

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 2



Oniro textiles PUxx nr.2 Edition 5-2024

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 2



The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

PUXX 2



The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1


SEGU / PUKKA / FRECKLE

SEGU - FRECKLE - PUKKA

INDOOR - OUTDOOR


SEGU 5002 SE
RED SNAPPER



SEGU 5006 SE
OYSTER


5000 SE
HARBOUR



5019 PU
JASMIN


FRECKLE 5025 FR
GRAPEFRUIT



5014 SE
FLAMINGO


PUKKA 5022 PU
RHUBARB


5003 SE
SHORE


5018 PU
TANGERINE


5011 SE
SALMON


FRECKLE 5028 FR
CHOCOLAT


5015 PU
PEACH


5016 PU
VANILLA CHAI



5007 SE
SAND


5027 FR
OATMEAL



SEGU 5005 SE
REEF



SEGU 5010 SE
CORAL



5021 PU
ROSEHIP



SEGU 5001 SE
DEEP WATER


5004 SE
BAY


PUKKA 5020 PU
FENNEL


FRECKLE 5029 FR
SPINACH


SEGU 5013 SE
LAGOON


5012 SE
PACIFIC


5017 PU
CHAMOMILLE


5026 FR
EUCALYPTUS


Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

SEGU / PUKKA / FRECKLE

SEGU - FRECKLE - PUKKA INDOOR - OUTDOOR





FABRICS FOR LIFE

CHARACTERISTICS	INDOOR - OUTDOOR
Composition:	100% PVC
Backing:	100% CO
Weight [Segu / Freckle]:	760 g/m²
Weight [Pukka]:	920 g/m²
Roll Width:	min. 140 cm
Roll Length:	+/- 25 m
Abrasion Resistance:	150.000 cycles (MARTINDALE)
Light Fastness:	>6 ISO 105-B02 (Blue Wool Scale)
Colour Fastness to	
Artificial Weathering:	>6 ISO 105-B04 (Blue Wool Scale) [Pukka]
Chlorinated Water:	4-5 ISO 105-E03 (Grey Scale)
Saliva:	4 DIN 53160-1 (Grey Scale)
Alkaline Perspiration:	4 ISO 105-E04 (Grey Scale)
Acid Perspiration:	4 ISO 105-E04 (Grey Scale)
Resistance to	
Ammoniac Solution (Urine):	Good
Artificial Blood:	Good
Bleach (4,5% Chlorine):	No Change
Ethyl Alcohol 96% Vol.:	4 DIN 54021 (Grey Scale) [Segu / Freckle]
Ethyl Alcohol 70% Vol.:	4-5 DIN 54021 (Grey Scale) [Pukka]
Flame Retardancy*:	EU EN 1021 Part 1 & 2
	EU IMO FTP 2010 Code Part 8
	UK BS5852 (CRIB 5)
	DE DIN 4102 (B2) [Segu / Freckle]
	IT UNI 9175 Classe 1.IM
	FR NF P 92-507 (M2)
	US FMVSS 302

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

Free of AZO / CFC / PCP / PCB / PCT

Perspiration resistant, Urine resistant, Saliva resistant, Blood resistant

Bacterial Resistance:	JISZ 2801 Sanitized
Fungal Resistance:	EN ISO 846 A Sanitized
Antibacterial:	Will not support microbial growth including MRSA
SUSTAINABILITY	Phthalate Free, REACH, RoHS

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
To minimize the risk of contamination and spreading of bacteria and viruses, good hygiene, good maintenance, and regular cleaning and disinfection of fabrics is essential.

The virus that causes COVID-19 is a so-called enveloped virus with a fatty outside layer. This structure is easily destroyed using regular surface disinfectants and detergents.

Cleaners and disinfectants have been tested with no adverse effects when cleaning guidelines are followed as directed:

- Clean surface with soap and water to remove all visible dirt and stains (stains and spills should be removed immediately);
- Rinse surface with clean water and wipe with clean towel;
- Disinfect surface by gently rubbing with a cloth or sponge moistened in a disinfectant based on a 70% alcohol solution or 1% chlorine bleach solution. When using a disinfectant alcohol based, please consult the Material Technical Specifications to confirm its resistance to the solution. Always try the cleaning method in a hidden area first to see the results.
- Rinse and dry with a cotton cloth (do not saturate the surface)
- Do not use multipurpose products, waxes, solvents or abrasives;
- For optimal results, we recommend regular maintenance of the product.

Cleaning after Disinfection:
- Rub gently with a cloth or sponge moistened in a soapy water solution;
- Stains or spills should be removed immediately;
- Rinse and dry with a cotton cloth;
- Do not use multipurpose products, waxes, solvents or abrasives;
- For optimal results, we recommend a regular maintenance of the product.

Incorrect handling of the product during assembling and upholstery, as well as the non-observance of the care and cleaning instructions or the use of inadequate cleaning products or instruments may damage the protective layer irreversibily.

Some textile dyes, such as those used in jeans or others may affect the surface of the synthetic leathers permanently. The migration of textile dyes or any other externaly contaminants is expressely excluded from any guarantee.

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

VYVA FABRICS

ANTIMICROBIAL · BLEACH CLEANABLE · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · PHTHALATE FREE · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

SILVERGUARD

SILVERGUARD INDOOR - OUTDOOR





Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

SILVERGUARD

SILVERGUARD INDOOR - OUTDOOR

VYVA FABRICS FOR LIFE

CHARACTERISTICS	INDOOR - OUTDOOR
Composition:	100% Vinyl Urethane
Backing:	100% Polyester Hi-Loft²™
Weight:	685 g/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 30 m
Abrasion Resistance:	>300.000 cycles (MARTINDALE)
Cold Crack:	-29 ºC
Light Fastness:	≥7/8 ISO 105-B02 (Blue Wool Scale) ≥4/5 ISO 105-B04 (Grey Scale)
Flame Retardancy*:	EU EN 1021 Part 1 & 2 EU IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 EU ECE R 118.03 (R118.02 Anx 6, 7 & 8) EU (MED) Marine Equipment Directive EU EN 71-2:2006+A1:2007 Safety of Toys - part 2 DE DIN 4102 (B2) IT UNI 9175 (1987) UNI 9175/FA1 (1994) Classe 1.IM FR NF P 92-503 (M2) AT ÖNORM B 3825 Gruppe 1 AT ÖNORM A 3800 Teil 1 UK UKCA US FMVSS 302 US CAL TB 117-2013, Section E US FAR 25/853 US NFPA 260 - Class 1

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PERMABLOK³® ADVANCED VINYL PROTECTION

Antibacterial Protection, Antimycotic Protection, Antifungal Protection, Anti-stain Finish, Mildew resistant backing and face, Sulfide Stain Resistant, Anti-static Finish, EN 71-3 Safety of Toys (Migration of certain elements)

Virucidal Activity: ISO 18184:2019:[1]
Coated Fabrics treated with PERMABLOK³® are proven to reduce the presence of Corona-virus** by more than 90% within one hour of contact.

ISO 21702:2019:[2]
All the Coated fabrics treated with PERMABLOK³® are capable of reducing the Coronavirus** activity by 99,9% within 24 hours of exposure on the surface.

Bacteriostatic Properties: ISO 22196:2011.Value of antibacterial*** activity R>2

SUSTAINABILITY

EcoSense, ISO 14001, ISO 45001, Carbon Neutral, Greenguard, Indoor Air Emissions A+ Certified, Indoor Air Quality Certified, REACH, RoHS

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
The following information refers to the performance of PERMABLOK3® products in specifics tests, conducted under laboratory conditions. Results may vary under actual conditions:

• Asepticare TB + II • Antifect (in 0.5 % dilution) • Caviwipes XL Packed • Cleanisept Wipes • Clorox Healthcare Bleach • Germicidal Wipes • Coverage Plus Germicidal Wipes • Desomed rapid • FD 366 • Hydrogen Peroxide Cleaner Disinfectant Wipes • Instrunet Anionsurf • Lysol Foaming Disinfectant Cleaner • Microzid • Oxivir TB Wipes • Oxycide Diluted –3oz/gl in water • PDI Sani-cloth bleach wipes • Sanicloth AF 3 • Sodium Hypochlorite. Disinfectant. Bletach cleaner. Dilution: 1:10 mix of bleach and water. • Surfanios Premium (in 0,25% dilution) • Surfa'Safe Premium (in 0,25% dilution) • Super Sani-cloth • Virex II 256 (1:256 Dilution) • Virox 5 Rtu • Wet wipe • Wex Cide 128 (1:128 dilution)

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth; and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommend-ed cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS

ANTIMICROBIAL · ANTI-STATIC · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · SULFIDE RESISTANT · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

STAMSKIN TOP



Marble
Marmer
F4340-10120



Marble
Marmer
F4340-10120



Sand
Zand
F4340-5029



Sahara
Sahara
F4340-20279




Alezan
Alezan
F4340-20286




Havana
Havana
F4340-20285



Chocolate
Chocolade
F4340-20129



Yellow
Geel
F4340-20299



Golden
Goud
F4340-20281




Capucine
Capucine
F4340-20280



Cinnabar Red
Cinnaber rood
F4340-07478



Peony
Pioen
F4340-20287



Carmine red
Karmijn rood
F4340-07479



Burgundy
Bourgondisch rood
F4340-20283

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

STAMSKIN TOP




Bamboo **F4340-20300**
Bamboe



Cactus **F4340-20296**
Cactus



Olive **F4340-20253**
Olijfgroen



Taupe **F4340-20237**
Taupe




Brown green **F4340-20241**
Bruingroen




Cedra **F4340-20282**
Cedra



Adriatic **F4340-20284**
Adriatisch



Turquoise **F4340-20294**
Turkoois



Oslo **F4340-20289**
Oslo blauw




Capri **F4340-20288**
Capri



Ink **F4340-10295**
Inkt



Mist **F4340-20161**
Mist



Mouse grey **F4340-07432**
Muisgrijs



Pebble **F4340-07445**
Kiezel



Black **F4340-00002**
Zwart

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

STAMSKIN TOP

		Batyline [Stam]Skin Top F4340	Standards *Normen*
		Technical properties - *Technische eigenschappen*	
Composition - *Samenstelling*		Multi-layer composite - *Meervoudig gelaagd*	
Base cloth - *Basisdoek*		Polyamide-jersey - *Polyamide-jersey*	
Width - *Breedte*		140 cm • 55.1 in	
Weight - *Gewicht*		780 g/m² • 23 oz/sq. yd	EN ISO 2286-2
Thickness - *Dikte*		1.0 mm – 1.2 mm • 1,000 microns - 1,200 microns	ISO 5084
		Physical properties - *Fysische eigenschappen*	
Elongation under load 125 N/5 cm (warp/weft) *Rek bij belasting 125 N/5 cm (ketting/inslag)*		>35% / >55%	EN ISO 1421
Tensile strength (warp/weft) *Trekweerstand (ketting/inslag)*		>440 N/5 cm / >280 N/5 cm >96.9/>62.9 lbs/2 in	EN ISO 1421
Tear strength (warp/weft) *Scheurweerstand (ketting/inslag)*		>25 N / >15 N >6 lbs / >3 lbs	EN ISO 13937-1
Flexing resistance - *Plooiweerstand*		400,000 - 400 000	EN ISO 7854
Abrasion resistance *Wrijvingsweerstand*		>120,000 cycles >120 000 cycli	EN ISO 12947-2 Martindale
Weather resistance *Weerbestendigheid*		*GS=4/5 at 700 h* *GS=4/5 a 700 h*	ASTM G154
Mold resistance - *Schimmelweerstand*		Degree 0, excellent - Graad 0, uitstekend	EN ISO 846-A
Extreme working temperatures *Maximale gebruikstemperaturen*		-20°C / +70°C • -4°F / +158°F	
		Flame retardancy - *Brandwerendheid*	
Rating *Clasificación*	Test cigarette / match *Sigarette / lucifertest*	No fire *Geen ontbranding*	EN 1021 1&2
	Marine test *Marinetest*	Pass *Conform*	IMO MSC.307(88) (2010FTP Code) Annex 1 Part 8
	US	Pass - *Conform* Class 1 - *Klasse 1*	NFPA 260 — CAL TB 117
	IT	Class 2 - *Klasse 2*	UNI 9177-87
	CH	5.3	SN 198898 - VKF/AEAI
	DE	Class F1 - *Klasse F1*	DIN 53438-3
	FR	M2 F4	NF P 92-507 NF P 16-101-102
	UK	*Pass - Conform*	BS 5852 SOURCE 5 2006
	AU	Pass - *Conform* Group 2 - *Groep 2*	AS/NZS 1530-3 AS/NZS 3837
	Aeronautical test *Luchtvaarttest*	Pass *Conform*	FAR/JAR 25-853/855
		Management system - *Managementsysteem*	
		Quality - *Kwaliteit:* ISO 9001 • **Environment - *Milieu***: ISO 14001	
		Certifications, labels, warranty -Certificeringen, keurmerken, garanties	

5-year warranty
5 jaar garantie

Smart coating technology
Smart coating technologie

Phthalate FREE

GREENGUARD

2690/23

CShR

[1] Summarizes the group's CSR project focused on human, to align economic performance and positive impact.
[1] *Geeft een samenvatting van het MVO-project van de groep gericht op de mens, om economische prestaties en positieve impact op elkaar af te stemmen.*

Quoted technical characteristics are average values with a +/-5% tolerance. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data. A maintenance and spot cleaning guide is available on request.

De vermelde technische eigenschappen zijn gemiddelde waarden met een tolerantie van +/- 5 %. Onze producten zijn onderhevig aan veranderingen naar gelang de technische vooruitgang en wij behouden ons het recht voor de kenmerken ervan op elk gewenst moment te wijzigen. De koper van onze producten dient de geldigheid van de hierboven weergegeven informatie te controleren.

Serge Ferrari group

AD2 Textiles
Professionele bekleding

info@ad2textiles.com
+31(0)85 487 3030
www.ad2textiles.com

Batyline is a Serge Ferrari SAS registered trademark.
Ref. CT-AD2 • 01/2024

EN-NL

Photo credits: ©Notre Studio, ©Marine Peyre, ©Noti, ©Aurélien Vivier

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.


momentsfurniture.com

SIGNATURES
SIGNATURES
MARKENZEICHEN

URBAN

MUST-HAVE


LES INCONTOURNABLES / *MUST-HAVE*



Béton 010 94 001



Abysse 010 94 022



Cendre 010 94 003



Origan 010 94 025



Géranium 010 94 008



Réglisse 010 94 012



Prune 010 94 021

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

URBAN




Perle 010 94 016



Ficelle 010 94 006



Terre 010 94 013



Moka 010 94 035




Châtaigne 010 94 004



Chocolat 010 94 005



Etain 010 97 038



Asphalte 010 97 033



Marine 010 97 037



Pensée 010 94 020



Pétrole 010 94 024



Turquoise 010 94 015



Granny 010 94 009



Absinthe 010 94 023



Ananas 010 94 018



Orange 010 94 019



Fuchsia 010 94 007



Tomate 010 94 014

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

Latest update 202610v1

SIGNATURES
SIGNATURES
MARKENZEICHEN

URBAN

MUST-HAVE
LES INCONTOURNABLES / *MUST-HAVE*

USE ▸ IN-OUTDOOR UPHOLSTERED SEATS
UTILISATION ▸ REVÊTEMENT DE SIÈGES INTÉRIEURS ET EXTÉRIEURS
VERWENDUNG ▸ POLSTERMÖBEL INNEN-UND AUSSENBEREICH

Composition Composition / *Materialzusammensetzung*	**PVC 85 %** **Cotton 15 %**
Weight Poids / *Gewicht*	**820 g +/- 50 g/m²**
Width Laize / *Breite*	**138 / 140 cm**
Roll length Longueur des pièces / *Rollenlänge*	**≈ 30 ml**
Thickness Épaisseur / *Materialstärke*	**1,2 mm +/- 0,1 mm**

Fire proof norm
Classement feu
Brandschutznorm
M1 (NFP 92503)
BS 5852 crib 5
B2 (DIN 4102)
EN 1021.1-2
IMO A652
FAR 25853 App F Part1 v12
CATB 117 E
CATB 133
UFAC CLASS 1
NY/NJ-Port Authority
AM 18 (NFD 60-013)

Abrasion resistance (ISO 5470-2)
Abrasion Martindale
Scheuertouren
150 000 cycles (12 KPa)

Phtalates free
Sans Phtalates
Phtalate frei

Technical data sheet is available upon request
Fiche technique disponible sur simple demande
Datenblatt verfügbar auf Anfrage

Efficacy against bacteria (MRSA).
Efficacité contre les bactéries (MRSA).
Wirksamkeit gegen Bakterien (MRSA).

BV 0062 Wheel Mark certification for all products used for seats covering in cruise ships and ferries.
Barre à Roue BV 0062 pour les produits destinés au revêtement de sièges dans les navires de transport de personnes.
IMO Zertifikat für alle Produkte für den Einsatz von Sitzpolstern auf Fähren und Kreuzfahrtschiffen.

Clean regularly with a pH neutral soap and a soft brush. Always rinse with clear water. Do not use strong detergents, solvent cleaners, polish, wax, patent chemicals or other products not recommended by Cotting. Some stains like ball pen, coffee, wine, eosin and also jeans, should be cleaned immediately to avoid any permanent absorption into the vinyl. Be careful : we cannot be held responsible for transfer problems generated by dyes of poor quality. Cotting waives all responsibility for problems arisen out of ignoring the cleaning instructions.

Pour un entretien efficace, nettoyer régulièrement avec un savon au pH neutre et une brosse douce. Dans tous les cas rincer à l'eau claire. Tous détergents, solvants, détachants du commerce ne figurant pas dans la NF collectivité ainsi que tous les produits non conseillés par nos soins sont à proscrire. Nettoyer immédiatement les tâches telles que le stylo, café, vin, éosine ou encore jeans afin d'éviter une migration définitive dans la masse du tissu enduit. Attention: Nous ne pouvons être tenus responsables des problèmes de migrations liés à une teinture de mauvaise qualité. Cotting dégagera toute responsabilité quant aux problèmes encourus liés au non respect des consignes d'entretien.

Regelmässige Reinigung mit lauwarmen Wasser, pH neutraler Seife und einer weichen Bürste. Verwenden Sie keine starken, abrasiven oder lösungsmittelhaltige Reinigungsmittel, Polituren, Wachse, chemische Reiniger oder andere, nicht von Cotting empfohlene Produkte. Flecken insbesondere von Kugelschreibern, Kaffee, Wein, Blut oder Jeansstoff sollten sofort gereinigt werden, da sie später unter Umständen nicht mehr rückstandslos entfernt werden könnten. Warnung: Cotting übernimmt keine Haftung dafür, dass Verfärbungen des Kunstleders durch nicht ausreichend farbbeständige Textilien verursacht wurden. Cotting übernimmt keine Haftung für Probleme, die durch die Nichtbeachtung der Pflegehinweise entstanden sind.

Product certified CTB Components by the FCBA technological institute. Mechanical tests, durability, reaction to fire and resistance to food, household, pharmaceutical products, according to NF Office Excellence Certified, NF furniture, professional NF furniture.

Produit certifié CTB Composants par l'institut technologique FCBA. Essais de mécanique, durabilité, réaction au feu et tenue aux produits alimentaires, ménagers, pharmaceutiques, conformément aux référentiels NF Office Excellence Certifiée, NF mobilier professionnel, NF ameublement.

Die Qualität wurde vom französischen Prüf- und Technologieinstitut FCBA gemäß den CTB Komponenten zertifiziert. Entsprechend den Standards für den Einsatz in Büros (NF Office Excellence), Wohneinrichtungen (NF Furniture) und Objekteinrichtungen (Professional NF Furniture) wurden mechanische Tests, Tests auf Haltbarkeit, Brennverhalten und Beständigkeit gegenüber Lebensmittel, Haushaltsprodukten und Pharmaprodukten durchgeführt.

Griffine
182 Route de Paris
95420 Nucourt - France
Tel. : +33 (0)1 30 27 28 00
Fax : +33 (0)1 34 67 49 89
Email : griffine@griffine.com
www.cotting-group.com

Plastibert
Molenstraat 207
8710 Wielsbeke - Belgium
Tel. : +32 (0)56 66 52 75
Fax : +32 (0)56 66 41 30
Email : info@plastibert.be
www.plastibert.be

© December 2017

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

VIPER & VIPER VINTAGE

VIPER & VIPER VINTAGE — INDOOR - OUTDOOR




Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com

VIPER & VIPER VINTAGE

VIPER & VIPER VINTAGE — INDOOR - OUTDOOR







FABRICS FOR LIFE

CHARACTERISTICS — INDOOR - OUTDOOR

Composition:	100% PVC Phthalate Free
Backing:	100% Recycled Polyester
Weight:	695 g/m²
Roll Width:	min. 137 cm
Roll Length:	+/- 27,4 m
Abrasion Resistance:	>300.000 cycles (MARTINDALE)
Cold Crack:	-32 ºC
Light Fastness:	≥7/8 ISO 105-B02 (Blue Wool Scale)
Flame Retardancy*:	EU EN 1021 Part 1 & 2
	EU IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2
	EU ECE R118.03, Annexes 6, 7 & 8
	EU (MED) Marine Equipment Directive
	DE DIN 4102 (B2)
	IT UNI 9175 (2010) Classe 1.IM
	FR NF P 92-503 (M2)
	FR NF D 60-013 (AM 18)
	AT ÖNORM B 3825 Gruppe 1
	AT ÖNORM A 3800 Teil 1
	UK BS 5852 Source 0, 1 (Cigarette & Match)
	US ISO 3795 (FMVSS 302)
	US CAL TB 117-2013, Section E
	US FAR 25/853
	CH SN 198'898 & VKF
	AU AS 1530.3

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

FINISHES AND TREATMENTS

PHTHALATE FREE

EN 71-3:2019 Migration of Certain Elements (Category III)
99% reduction of bacteria on the surface of the coated fabric (ISO 22196)
Bacteriostatic Properties: Mildew Resistant

SUSTAINABILITY

Bromine-free, no Halogenated Flame Retardants (HFRs), No Bisphenol A (BPA), No Ozone Depleting Chemicals, No PBTs (Persistent Bio accumulative and Toxic Chemicals), No POPs or PFAs, Contains bio-based renewable ingredients, Phthalate Free formulation, Skin Safe (ISO 10993-10), Low VOC, REACH, RoHS

SAMPLES AND ENQUIRES

samples: samples@vyvafabrics.nl | **orders**: info@vyvafabrics.nl

CARE AND CLEANING

For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use
Here is a helpful list of products that you can use to disinfect:
Clorox® Hydrogen Peroxide Disinfecting Cleaner,
This kills bacteria and viruses in 30 seconds.
BLEACH-RITE® Disinfecting Spray with Bleach, Current Technologies
This is a hospital-grade pre-mixed cleaner with bleach diluted 1:10.
Dispatch® Hospital Cleaner Disinfectant Towels with Bleach
This kills most bacteria and viruses in 1 minute.
Bleach, Dilute the bleach up to a 1:10 ratio (10%). Liberally apply diluted bleach solution using a sponge. Rinse with cold water several times. Wipe dry. Be sure to follow the guidelines on the bleach label.
Isopropyl Alcohol with concentration of around 70% can kill corona-viruses. Leave the 70% Isopropyl Alcohol solution on the product for one minute.
Hydrogen Peroxide with a 3% concentration can be used to disinfect. Apply to the product and allow to sit for one minute.

Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning after Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of 1:1 liquid soap (neutral pH) and water or our approved cleaning products for coated fabrics to remove stains on the surface of the material. Completely remove excess cleaner with a white, clean, damp cloth; and dry the surfaces afterwards. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Cleaning methods to remove tougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:1 mix of neutral liquid soap and water. Next, rinse with clean water and dry.

Step 2: Make-up. Use a straight application of neutral PH soap. Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.

Step 3: Blood, urine, faeces and all other tough stains. Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and dry.

For cleaning: use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in random circles, ten times or more. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric. Methods 2 & 3 are not recommended for everyday cleaning! After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolouration of the coated fabric surface to manifest itself earlier in the life cycle of the product.

VYVA FABRICS

ANTIMICROBIAL · BLEACH CLEANABLE · FLAME RETARDANT · STAIN RESISTANT · WATERPROOF · PHTHALATE FREE · REACH COMPLIANT · INDOOR OUTDOOR

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL TEL +31 (0)20 6599523

Latest update 202610v1

The colours of all pictures are only an indication and may therefore differ from reality. Consequently, no rights may be derived from the colours displayed.

momentsfurniture.com



moments furniture®

Moments Furniture

Deefakkerstraat 2
8870 Ingelmunster
Belgium
T +32 51 489 258

W2 Moments

Edisonstraat 25
4004 JL Tiel
The Netherlands
T +31 344 619 844

FMB Care

Edisonstraat 25
4004 JL Tiel
The Netherlands
T +31 344 229 339

Moments Furniture

130, Boulevard de la Liberté
59000 Lille
France
T +33 320 545 019

FMB Care

Am Shlinge 8
33154 Salzkotten
Germany
T +49 525 898 090 0

Moments Furniture

Chemin du croset 9
1024 Ecublens
Switzerland
T +41 21 697 05 05

momentsfurniture.com